

Appendix 1:


2D Profiles – 2023 Middle Republican Natural Resources District Block 2 Inverted AEM Resistivity



Page

A1-2 – A1-74

This document contains 2D Profiles of the 2023 Middle Republican NRD Block 2 AEM survey.

Each page has a flight line map at the top right and a flight line location view above an inverted resistivity profile.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.




The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.




The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.







Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.




The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.







Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks., LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.




The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.



Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023. The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection. The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023. The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure. Prepared for the MRNRD by Aqua Geo Frameworks., LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.



The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.







Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.



The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.







Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.



The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.



The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.









Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.




The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks., LLC.







Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.



The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks., LLC.







Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.



The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.







Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks., LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.



The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.







Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks., LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.



The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.







Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks., LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks., LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks., LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.



The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.







Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks., LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks., LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks., LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.



The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.







Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks., LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.



The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.







Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks., LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.


The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.



The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.



The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.









Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.




The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks., LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.



The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks., LLC.







Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.



The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks, LLC.





Results of the final inversion of Airborne Electromagnetic (AEM) data collected along flight lines within the Middle Republican Natural Resources District (MRNRD) Flight Area acquired June 15-18, 2023.

The red line on the Flight Path Map (USGS 100K Topo Map) indicates the location of the data collection.

The MRNRD AEM Survey Area map displays the total survey lines as black lines with the current flight line highlighted in red on a general map of the area. The blue dots represent the Conservation Survey Division (CSD) test holes public website downloaded on May 20, 2023 and the orange dots represent the Nebraska Department of Natural Resources (NE-DNR) Registered well database downloaded May 20, 2023.

The AEM inversions resistivity shown as profiles are Spatially-Constrained (SCI) using the Aarhus Geo Software Workbench version 6.8.0 and are displayed in the indicated electrical resistivity color scale. Boreholes CSD and NE-DNR displayed on the AEM inversion profile are within 500 meters of the flight line. Lithology is indicated by the legend. Gray-dashed lines when visible on the AEM inversions profile indicate the estimated depth of investigation (DOI). White gaps in the AEM inversion profile indicate gaps in data coverage due to electromagnetic coupling or areas that were not flown due to infrastructure.

Prepared for the MRNRD by Aqua Geo Frameworks., LLC.

